




Best Solutions



Makina Otomasyon Teknolojileri



PACWOOD DR DESKTOP CNC ROUTER

SYTROCOAT FORMED EPS COATING

PAC WOOD CNC ROUTER

PAC WIRE HOTWIRE CNC CUTTING

MASTERPRESS EPS FORMING



Pac Makina Otomasyon Ltd. Şti.
Kısıkköy Sanayi Sitesi 3. Cadde No:1 ESTİM-Menderes/İZMİR

+90 553 787 43 45
+90 232 257 64 66



Zurich Switzerland
Mr.Buri: +41 76 459 37 37
Mr.Uğur: +41 76 365 28 82



Arbil Iraq
Mr.Ahmad Mohammed: +964 750 453 72 30



Almaty Kazakhstan
Mr.Abdullah: +7 702 443 55 50



Moscow Russia
Mrs.Alexander: +7 495 374 01 05



info@pac-cnc.com
www.pac-cnc.com





PAC MAKİNA LTD was founded in 2007 after 15 years experience in İzmir TURKEY.

We mainly produce CNC Router, CNC Woodworking Machine and "EPS Decorative Profile Plant."

*Today we celebrating its 10 th birthday and "PAC MAKİNA" leading company in TURKEY.
At the same time we produce "Custom Mode" High Technology Equipment and Machine for various demands.
We have exporting to our machine more than 25 countries.*




- *CNC Router*
 - *CNC Woodworking Machine*
 - *CNC Mold Making Router*
 - *CNC Foam Cutting Machine*
 - *EPS Coating Machine*
 - *Mortar Mixer Platform*
 - *EPS Hot Forming Press*
 - *EPS Sheet Cutting Machine*
-



PAC 3821-2821



alphacam



MODEL	X	Y	Z	W	W-1	H	H-2	H-1	L	SPINDLE	ATC	VACUUM
Pac - 3821 L	3800	2100	250	2800	2200	1650	740	300	4400	6.0 KW	OPTION	OPTION
Pac - 3821 H	3800	2100	250	2800	2200	1650	740	300	4400	9.0 KW ATC	✓	✓
Pac - 2821 L	2800	2100	250	2800	2200	1650	740	300	3400	6.0 KW	OPTION	OPTION
Pac - 2821 H	2800	2100	250	2800	2200	1650	740	300	3400	9.0 KW ATC	✓	✓






PARTS	H - SERIES	L - SERIES
AXIS MOTOR	1.5 KW DELTA SERVO MOTOR	NEMA 34 12.5 NM
CNC CONTROLLER	NC 300A MS AE 8" TFT - NC 300A N-FE	PC BASED CNC CONTROLLER USB
SPINDLE	9.0 KW 24.000 RPM HITECO - HSD	6.00 KW 18.000 RPM
TOOL HOLDER	ER 32 - BT 30	ER 32 - BT 30
TABLE	VACUUM TABLE - T SLOT TABLE	OPTION
VACUUM	DVP LC305 ITALIAN POMP	OPTION
ATC	8 LINEAR or 8 ROTARY	X
RAIL	HGW 25	HGW 25
X-Y DRIVE	M2 25 HELICAL ROCK an PINION	M2 25 HELICAL ROCK an PINION
Z DRIVE	SFUR 2010 BALL SCREW	SFUR 2010 BALL SCREW
TRAVELLING	50.000 mm/m	20.000 mm/m
WORKING VOLTAGE	380 V 3PH 50HZ	380 V 3PH 50HZ
WARRANTY	2 YEARS	2 YEARS





PAC 3821 M - 2821 M



alphacam



MODEL	X	Y	Z	W	W-1	H	H-1	H-2	L	SPINDLE	ATC	VACUUM
Pac - 3821 M-L	3800	2100	500	3650	2400	2800	615	850	4600	6.0 KW	OPTION	OPTION
Pac - 3821 M-H	3800	2100	500	3650	2400	2800	615	850	4600	9.0 KW ATC	✓	OPTION
Pac - 2821 M-L	2800	2100	500	3650	2400	2800	615	850	3600	6.0 KW	OPTION	OPTION
Pac - 2821 M-H	2800	2100	500	3650	2400	2800	615	850	3600	9.0 KW ATC	✓	OPTION





PARTS	H - SERIES	L - SERIES
AXIS MOTOR	1.5 KW DELTA SERVO MOTOR	NEMA 34 12.5 NM
CNC CONTROLLER	NC 300A MS AE 8" TFT - NC 300A N-FE	PC BASED CNC CONTROLLER USB
SPINDLE	9.0 KW 24.000 RPM HITECO - HSD	6.00 KW 18.000 RPM
TOOL HOLDER	ER 32 - BT 30	ER 32 - BT 30
TABLE	VACUUM TABLE - T SLOT TABLE	OPTION
VACUUM	DVP LC305 ITALIAN POMP	OPTION
ATC	8 LINEAR or 8 ROTARY	X
RAIL	HGW 35	HGW 25
X-Y DRIVE	M2 25 HELICAL ROCK an PINION	M2 25 HELICAL ROCK an PINION
Z DRIVE	SFUR 2010 BALL SCREW	SFUR 2010 BALL SCREW
TRAVELLING	50.000 mm/m	20.000 mm/m
WORKING VOLTAGE	380 V 3PH 50HZ	380 V 3PH 50HZ
WARRANTY	2 YEARS	2 YEARS

PAC 3015-2513



alphacam



MODEL	X	Y	Z	W	W-1	H	H-2	H-1	L	SPINDLE	ATC	VACUUM
Pac 3015 L	3000	1500	250	2200	1600	1650	740	300	3600	6.0 KW	OPTION	OPTION
Pac 3015 H	3000	1500	250	2200	1600	1650	740	300	3600	9.0 KW ATC	✓	✓
Pac 2513 L	2500	1300	250	2000	1400	1650	740	300	3100	6.0 KW	OPTION	OPTION
Pac 2513 H	2500	1300	250	2000	1400	1650	740	300	3100	9.0 KW ATC	✓	✓





PARTS	H - SERIES	L - SERIES
AXIS MOTOR	1.5 KW DELTA SERVO MOTOR	NEMA 34 12.5 NM
CNC CONTROLLER	NC 300A MS AE 8'TFT - NC 300A N-FE	PC BASED CNC CONTROLLER USB
SPINDLE	9.0 KW 24.000 RPM HITECO - HSD	6.00 KW 18.000 RPM
TOOL HOLDER	ER 32 - BT 30	ER 32 - BT 30
TABLE	VACUUM TABLE - T SLOT TABLE	OPTION
VACUUM	DVP LC305 ITALIAN POMP	OPTION
ATC	8 LINEAR or 8 ROTARY	X
RAIL	HGW 25	HGW 25
X-Y DRIVE	M2 25 HELICAL ROCK an PINION	M2 25 HELICAL ROCK an PINION
Z DRIVE	SFUR 2010 BALL SCREW	SFUR 2010 BALL SCREW
TRAVELLING	50.000 mm/m	20.000 mm/m
WORKING VOLTAGE	380 V 3PH 50HZ	380 V 3PH 50HZ
WARRANTY	2 YEARS	2 YEARS

PAC 2010 -2070 -1270



alphacam



MODEL	X	Y	Z	W	W-1	H	H-1	H-2	L	SPINDLE	MOTOR
Pac - 2010	2000	1000	200	1800	1250	1650	730	220	2700	OPTION	OPTION
Pac - 2070	2000	700	200	1500	950	1650	730	220	2700	OPTION	OPTION
Pac - 1270	1200	700	200	1500	950	1650	730	220	1900	OPTION	OPTION





alphacam




4 th Axis

All model can be 4 th axis option








MODEL	X	Y	Z	W	W-1	H	H-1	H-2	L	SPINDLE	MOTOR
Pac DR- 1270	1200	700	90	1000	720	570	107	130	1550	RPM	STEPPER MOTOR
Pac DR- 1050	1000	500	90	750	540	570	107	130	1285	RPM	STEPPER MOTOR
Pac DR- 7070	700	700	90	1000	720	570	107	130	1000	RPM	STEPPER MOTOR
Pac DR- 5050	500	500	90	750	540	570	107	130	750	RPM	STEPPER MOTOR







PAC WIRE EXTRA







MODEL	X	Y	W	W-1	H	H-1	L	L-1	L-2	HEATER	MOTOR
PAC WIRE EXTRA 1313	1300	1300	2920	2100	2075	520	1870	2100	3000	4.0 KW 100V 40A	STEPPER MOTOR
PAC WIRE EXTRA 2113	2100	1300	2920	2100	2075	520	2670	2100	3000	4.0 KW 100V 40A	STEPPER MOTOR
PAC WIRE EXTRA 3115	3100	1500	2920	2100	2075	520	3670	2100	3000	4.0 KW 100V 40A	STEPPER MOTOR
PAC WIRE EXTRA 4115	4100	1500	2920	2100	2075	520	4670	2100	3000	4.0 KW 100V 40A	STEPPER MOTOR







PARTS	EXTRA SERIES	SD-SY SERIES
AXIS MOTOR	NEMA 34 12.5 NM	NEMA 34 8.5 NM
CNC CONTROLLER	PC BASED CNC CONTROLLER USB	PC BASED CNC CONTROLLER USB
HEATER	4.0 KW 100 V 40 A	4.0 KW 100 V 40 A
RAIL	HGW 25	LFR 5205
X-Y DRIVE	SFUR 2005 BALL SCREW	SFUR 2005 BALL SCREW
TRAVELLING	10.000 mm/m	5.000 mm/m
FRAME	TREATED BODY	ALUMINIUM BODY
WORKING VOLTAGE	380 V 3PH 50HZ	380 V 3PH 50HZ
WARRANTY	2 YEARS	2 YEARS

PAC WIRE SD

Made in
Türkiye





MODEL	X	Y	W	W-1	H	H-1	H-2	L	L-1	HEATER	MOTOR
PAC WIRE SD 1313	1300	1300	2670	2100	2100	460	600	2000	1300	4.0 KW 100V 40A	STEPPER MOTOR
PAC WIRE SD 2113	2100	1300	2670	2100	2100	460	600	2800	1300	4.0 KW 100V 40A	STEPPER MOTOR
PAC WIRE SD 1313 L	1300	1300	3670	3100	2100	460	600	2000	1300	4.0 KW 100V 40A	STEPPER MOTOR
PAC WIRE SD 2113 L	2100	1300	3670	3100	2100	460	600	2800	1300	4.0 KW 100V 40A	STEPPER MOTOR





MODEL	X	Y	W	W-1	H	H-1	L	L-1	L-2	HEATER	MOTOR
PAC WIRE SY 1313	1300	1300	2670	2100	2100	580	2000	1100	2600	4.0 KW 100V 40A	STEPPER MOTOR
PAC WIRE SY 2113	2100	1300	2670	2100	2100	580	2800	1100	2600	4.0 KW 100V 40A	STEPPER MOTOR
PAC WIRE SY 1313 L	1300	1300	3670	3100	2100	580	2000	1100	2600	4.0 KW 100V 40A	STEPPER MOTOR
PAC WIRE SY 2113 L	2100	1300	3670	3100	2100	580	2800	1100	2600	4.0 KW 100V 40A	STEPPER MOTOR



All model can be turn table option



MODEL	X	Y	W	W-1	H	H-1	L	MOTOR
FAST CUT 2112	2100	1200	1330	1100	1700	410	2500	STEPPER MOTOR
FAST CUT 2112-L	2100	1200	2330	2100	1700	410	2500	STEPPER MOTOR
FAST CUT 1212	1200	1200	1330	1100	1700	410	1500	STEPPER MOTOR
FAST CUT 1212-L	1200	1200	2330	2100	1700	410	1500	STEPPER MOTOR




MODEL	X	Z	W	H	H-1	HEATER	MOTOR
ARC CUTTER	600	500	915	1600	705	1 KW 20V 40A	DC MOTOR

PAC AUTOMATIC MORTAR MIXER


Made in
Türkiye






PLC Controller Systeme



MODEL	X	Y	L	L-1	H	H-1	H-2	POWER
PAC AUTOMATIC MORTAR MIXER	320	210	6700	3700	3700	2900	2000	8 KW





Speed Controller



MODEL	X	Y	W	W-1	L	L-1	L-2	H	H-1	POWER
PAC COATING MACHINE	320	210	880	820	3750	1740	1480	1300	700	1 KW


PAC MASTERPRESS

Made in
Türkiye




MODEL	X	Y	W	W-1	H	H-1	H-2	L	POWER
MASTERPRESS	2000	500	2360	2000	1650	860	200	660	8 KW

OTHER OPTIONS (COMPACT CUTTING MACHINE)



Made in
Türkiye

PLC Controller Systeme



MODEL	DIMENSION OF BLOCK
COMPACT CUTTING MACHINE	600x600x2000 — 1200X1200X2000 — 1200X1200X4000 — 1200X1200X6000

OTHER OPTIONS (DRYING OVEN)

Made in
Türkiye

Made in
Türkiye



MODEL	DIMENSION (W-H-L)
DRYING OVEN	600x300x6000 — 600X300X12000 — 600X300X18000 — 600X300X24000